

CERTIFICATE OF ANALYSIS



Fresh Farm.

Customer: 151 Kalmus Dr, Suite L3
Costa Mesa, CA 92626

Batch #:-

Laboratory Number: ATL-22123

Report Issue Date: 6/26/2024

Order Date: 6/25/2024

Analysis Date: 6/26/2024

Sample Description:

THCA Pre Roll with Diamond - Diesel
Truck

Unit Weight: 2g / Pre roll



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/peroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	264.200	13.210
CBG-A	<0.008	13.080	0.654
CBG	<0.007	1.260	0.063
CBD	<0.008	8.740	0.437
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/peroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	1.260	0.063
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.200	0.110
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/peroll	%
CBC	<0.009	1.080	0.054
CBC-A	<0.005	12.700	0.635
THC-A	<0.005	237.160	11.858

Max Active THC	mg/peroll	%
	210.19	10.51
Max Active CBD	mg/peroll	%
	240.44	12.02

Total Active Cannabinoids	mg/peroll	%
	476.69	23.83
Total Cannabinoids	mg/peroll	%
	541.68	27.08

NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.

>>> (954) 515 - 0200
info@accuratetestlab.com

